

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm			
Angled (ANG)											-								-	-	-						-	-	-	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	IP20	-	-	-	-	-	-			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	IP65	-	-	-	-	-	-			
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Angled 2 (ANG2)																			-																	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	-	IP68	IP68	IP68	IP68	IP68	IP68	-	-	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-		
Aurora (AUR)																		-										-								
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Closet Rod (CLR)					-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
			IP20	IP20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			IP65	IP65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deep (DEP)											-								-	-	-					-				-						
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deep Wide (DPW)																		-										-								
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	✓	✓	-		
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	-	-	IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-			

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models										Compatible Connectors						
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm			
Dome (DOM)																			-										-							
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-		
			IP68	IP68	-	-	-	IP68	IP68	IP68	-	IP68	IP68	-	-	-	-	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	-		
Flex (FLX)											-							-	-	-					-					-						
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Genesis (GEN)																		-											-							
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Grazer (GZR)											-								-	-	-					-	-		-	-						
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	✓			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Icon (ICN)																																				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	IP68	-	IP68	IP68	IP68	IP68	IP68	-	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models									Compatible Connectors						
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LCOB4.6W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm			
Icon 1 (IC1)			▲	▲	■	■	■	■	■	■	-	■	■	■	■	■	■	-	-	-	▲	■	●	■	-	●	■	■	-	-	-	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	-	-	
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	-	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	-	
Icon 2 (IC2)			-	-	-	-	-	-	-	-	-	■	-	■	-	-	-	-	-	■	-	■	-	-	■	■	■	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	IP20	-	IP20	-	-	-	-	-	IP20	-	-	IP20	-	IP20	IP20	IP20	-	✓	✓	✓	-	-	-		
			-	-	-	-	-	-	-	-	-	IP65	-	IP65	-	-	-	-	-	IP65	-	-	IP65	-	IP65	IP65	IP65	-	✓	✓	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	IP68	-	IP68	-	-	-	-	-	-	-	-	IP68	-	IP68	-	-	-	IP68	-	-	-	-	-	-	-
Square (SQR)			▲	▲	■	■	■	■	●	■	-	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thin (THN)			▲	▲	▲	●	▲	▲	▲	●	-	▲	■	●	●	▲	■	●	-	-	-	▲	▲	▲	●	-	▲	▲	▲	-	-	-	-			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wide (WID)			▲	▲	●	●	●	●	●	●	●	●	●	●	●	●	●	●	-	●	▲	●	▲	●	▲	▲	●	●	-	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Icon Side Mount (ICS)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors		
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm	
Deep Flanged (DPF)			●	●	■	■	●	●	●	-	■	■	■	■	●	■	■	-	-	-	●	■	●	■	-	●	■	●	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Icon Flanged (ICF)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓
			IP68	IP68	IP68	-	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	-
Icon 1 Flanged (IC1F)			▲	▲	■	■	■	■	■	-	■	■	■	■	■	■	-	-	-	▲	■	●	■	-	●	■	■	-	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	
			IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	-	-	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	
Icon 2 Flanged (IC2F)			-	-	-	-	-	-	-	-	■	■	-	-	-	-	-	■	-	-	■	-	■	-	■	■	■	-	-	-	-	-	
			-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	-	-	IP20	-	-	IP20	-	IP20	-	IP20	IP20	IP20	-	✓	✓	✓	
			-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	-	-	IP65	-	-	IP65	-	IP65	-	IP65	IP65	IP65	-	✓	✓	-	
			-	-	-	-	-	-	-	-	IP68	IP68	-	-	-	-	-	-	-	-	-	IP68	-	IP68	-	-	-	IP68	-	-	-	-	
In Floor (IFL)			2 ROWS OF TAPELIGHT USED																														
			▲	▲	▲	■	▲	▲	▲	-	●	■	■	■	▲	■	■	-	-	-	▲	●	▲	▲	-	▲	●	●	-	-	-	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			







Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm			
Seamless 0.5 (SML)											-							-	-	-					-	-		-	-	-	-					
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-			
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Seamless 1.0 (SM1)																		-											-	-	-					
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	-	-	
Seamless 1.5 (SM15)			-	-		-		-	-		-			-	-	-	-		-	-	-	-		-		-		-	-	-	-	-				
			-	-	IP20	-	IP20	-	-	IP20	-	IP20	IP20	-	-	-	-	IP20	-	-	-	-	IP20	-	IP20	-	-	-	-	-	-	-	✓	✓	✓	
			-	-	IP65	-	IP65	-	-	IP65	-	IP65	IP65	-	-	-	-	-	-	-	-	-	-	IP65	-	IP65	-	-	-	-	-	-	✓	✓	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 ROWS OF TAPELIGHT USED																																	-	-	-	
Seamless 2.0 (SM2)			-	-		-		-	-		-			-	-	-	-		-	-	-	-	-		-		-		-	-	-	-	-			
			-	-	IP20	-	IP20	-	-	IP20	-	IP20	IP20	-	-	-	-	IP20	-	-	-	-	IP20	-	IP20	-	-	-	-	-	-	-	✓	✓	✓	
			-	-	IP65	-	IP65	-	-	IP65	-	IP65	IP65	-	-	-	-	-	-	-	-	-	-	IP65	-	IP65	-	-	-	-	-	-	✓	✓	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 ROWS OF TAPELIGHT USED																																	-	-	-	
Seamless Border (SBD)											-								-	-	-					-				-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 ROWS OF TAPELIGHT USED																																	-	-	-	
Seamless Cove (SCV)																			-										-	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-		
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	-	-	-			

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■







LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

www.lialighting.com

page 5


01132026


Compatibility Chart: Extrusion + LED Tapelight


Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors			
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm	
Seamless Curve (SMC)			▲	▲	●	■	●	●	●	■	-	●	■	■	■	■	■	-	-	-	▲	●	●	●	-	▲	■	▲	-	-	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Seamless Edge (SME)			▲	▲	●	■	●	●	●	■	-	●	■	■	■	■	■	-	-	-	▲	●	▲	●	-	▲	■	■	-	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Seamless Square Edge (SQE)			▲	▲	■	■	■	■	●	■	-	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Seamless Wallwasher (SWW)			▲	▲	●	■	●	●	●	■	■	■	■	■	■	■	■	-	-	■	▲	■	▲	■	▲	▲	■	■	▲	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-	
			-	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	-	-	-
Square Flanged (SQF)			▲	▲	■	■	■	■	●	■	-	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thin Flanged (THF)			▲	▲	▲	●	▲	▲	▲	●	-	▲	●	■	●	▲	■	●	-	-	-	▲	▲	▲	▲	-	▲	▲	▲	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲


SEMI-UNIFORM = ●


UNIFORM = ■


LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE