



# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																			Color Tapelight Models								Compatible Connectors								
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.1W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LIC5.9W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm			
Dome (DOM)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	■	■	-	✓	✓	✓				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-		
Flex (FLX)			▲	▲	▲	●	▲	■	▲	▲	▲	-	▲	▲	▲	●	▲	▲	●	▲	-	-	-	▲	▲	●	▲	-	▲	▲	▲	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-			
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Genesis (GEN)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	▲	■	-	✓	✓	✓				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-
Grazer (GZR)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	●	●	▲	●	●	●	-	-	-	▲	▲	▲	▲	-	-	●	-	-	-	-	✓			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	-	IP65	IP65	IP65	IP65	-	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-		
Icon (ICN)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓
Icon (ICN)			■	■	■	-	■	■	-	■	■	■	■	-	-	■	■	-	■	■	-	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-		
			IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	-	-	IP68	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.  
847.412.4880  
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE





# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																			Color Tapelight Models								Compatible Connectors																																				
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.1W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LIC5.9W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm																															
Seamless 0.5 (SML)			●	●	●	■	●	■	●	●	■	-	●	■	■	■	●	■	■	■	-	-	-	●	●	●	●	-	-	●	-	-	-	-	-																															
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-																														
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-																														
Seamless 1.0 (SM1)			▲	▲	●	■	●	■	●	●	■	■	■	■	●	■	■	■	■	-	■	▲	■	▲	●	▲	▲	■	●	●	✓	✓	✓																																	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-																															
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	-	-																															
Seamless 1.5 (SM15)			-	-	■	-	■	■	-	-	■	-	■	■	-	-	-	■	■	-	-	-	-	■	-	■	-	-	-	-	-	✓	✓	✓																																
			-	-	IP20	-	IP20	IP20	-	-	IP20	-	IP20	IP20	-	-	-	-	IP20	IP20	-	-	-	-	IP20	-	IP20	-	-	-	-	-	✓	✓	-																															
			-	-	IP65	-	IP65	IP65	-	-	IP65	-	IP65	IP65	-	-	-	-	IP65	IP65	-	-	-	-	IP65	-	IP65	-	-	-	-	-	-	-	-																															
2 ROWS OF TAPELIGHT USED																														Seamless 2.0 (SM2)			-	-	■	-	■	■	-	-	■	-	■	■	-	-	-	-	■	■	-	-	-	-	■	-	■	-	-	-	✓	✓	✓			
-	-	IP20	-	IP20	IP20	-	-	IP20	-	IP20	IP20	-	-	-	-	IP20	IP20	-	-	-	-	IP20	-	IP20	-	-	-	-	-				-	✓	✓	-																														
-	-	IP65	-	IP65	IP65	-	-	IP65	-	IP65	IP65	-	-	-	-	IP65	IP65	-	-	-	-	IP65	-	IP65	-	-	-	-	-				-	-	-	-																														
2 ROWS OF TAPELIGHT USED																														Seamless Border (SBD)			●	●	■	■	■	■	●	●	■	-	■	■	■	■	■	●	■	■	■	-	-	-	●	■	●	■	-	●	■	●	-	-	-	✓
IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20				IP20	IP20	IP20	-	-	-																												
IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65				IP65	IP65	IP65	-	-	-																												
Seamless Cove (SCV)			●	●	●	■	●	■	●	●	■	■	■	■	●	■	■	■	■	■	-	■	●	●	●	●	▲	●	■	■	-	-	✓	✓	✓																															
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-																														
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-																													
IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	-	-																																

Contact customer service if Tapelight or Extrusion not listed above.  
847.412.4880  
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																				Color Tapelight Models								Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.1W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LCOB4.6W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LIC5.9W	LLI-LHO5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm	
Seamless Curve (SMC)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	■	■	■	-	-	-	▲	●	●	●	-	▲	■	▲	-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	
Seamless Edge (SME)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	■	■	■	-	-	-	▲	●	▲	●	-	▲	■	■	-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Seamless Square Edge (SQE)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
Seamless Wallwasher (SWW)			▲	▲	●	■	●	■	●	●	■	■	■	■	■	■	■	■	■	-	-	■	▲	■	▲	■	▲	▲	■	■	▲	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	-	-	-
Square Flanged (SQF)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
Thin Flanged (THF)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	■	●	▲	■	●	●	-	-	-	▲	▲	▲	▲	-	▲	▲	▲	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.  
847.412.4880  
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE