



# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models								Compatible Connectors				
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Dome (DOM)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	■	■	-	✓	✓	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	-
Flex (FLX)			▲	▲	▲	●	▲	▲	▲	▲	▲	-	▲	▲	●	▲	▲	-	-	-	▲	▲	●	▲	-	▲	▲	▲	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Genesis (GEN)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	▲	■	-	✓	✓	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Grazer (GZR)			▲	▲	▲	●	▲	●	▲	▲	●	-	▲	●	●	▲	●	-	-	-	▲	▲	▲	▲	-	-	●	-	-	-	-	✓
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
Icon (ICN)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	✓	✓	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.  
847.412.4880  
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																Color Tapelight Models								Compatible Connectors																									
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm																				
Icon 1 (IC1)											-						-	-	-					-				-	-	-	-	-	-	✓																		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-														
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-									
																																					-	-	-													
Icon 2 (IC2)			-	-	-	-	-	-	-	-	-			-	-	-	-	-		-	-		-						-	-	-	-	-	-	✓	✓	✓															
																																								-	-	-										
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-						
																																										-	-	-								
																																										-	-	-								
Square (SQR)												-						-	-	-					-	-		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-										
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-					
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65			
																																													-	-	-					
Thin (THN)												-						-	-	-					-																											
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20				
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65		
																																															-	-	-			
Wide (WID)																		-																																		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65		
																																																	-	-	-	
Icon Side Mount (ICS)																																																				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20				
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65		
																																																		-	-	-

Contact customer service if Tapelight or Extrusion not listed above.  
 847.412.4880  
 cs@llilighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
 NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																Color Tapelight Models								Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Deep Flanged (DPF)			●	●	■	■	●	■	●	●	■	-	■	■	■	●	■	-	-	-	●	■	●	■	-	●	■	●	-			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Icon Flanged (ICF)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	✓	✓	✓
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-
Icon 1 Flanged (IC1F)			▲	▲	■	■	■	■	■	■	-	■	■	■	■	■	-	-	-	▲	■	●	■	-	●	■	■	-	-	-	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Icon 2 Flanged (IC2F)			-	-	-	-	-	-	-	-	-	■	■	-	-	-	-	■	-	-	■	-	■	■	■	-	✓	✓	✓			
			-	-	-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	IP20	-	-	IP20	-	IP20	IP20	IP20	-	✓	✓	-		
			-	-	-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	IP65	-	-	IP65	-	IP65	IP65	IP65	-	-	-	-		
In Floor (IFL)			▲	▲	▲	■	▲	■	▲	▲	■	-	●	■	■	▲	■	-	-	-	▲	●	▲	▲	-	▲	●	●	-	-	-	✓
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-

2 ROWS OF TAPELIGHT USED

Contact customer service if Tapelight or Extrusion not listed above.  
847.412.4880  
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE



# Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																Color Tapelight Models								Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Seamless Curve (SMC)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	-	-	-	▲	●	●	●	-	▲	■	▲	-	-	-	√	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Seamless Edge (SME)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	-	-	-	▲	●	▲	●	-	▲	■	■	-	-	-	√	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
Seamless Wallwasher (SWW)			▲	▲	●	■	●	■	●	●	■	■	■	■	■	■	-	■	▲	■	▲	■	▲	▲	■	■	▲	√	√	√		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-
Square Flanged (SQF)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	√	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	-
Thin Flanged (THF)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	●	▲	■	-	-	-	▲	▲	▲	▲	-	▲	▲	▲	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.  
 847.412.4880  
 cs@llialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.  
 NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE