

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors						
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm					
Angled (ANG)			▲	▲	■	■	▲	■	▲	▲	■	-	●	■	■	▲	■	-	-	-	▲	■	▲	●	●	-	-	-	-	-	-	-					
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	IP20	-	-	-	-	-	-	-					
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	IP65	-	-	-	-	-	-	-	-				
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Angled 2 (ANG2)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	■	■	■	▲	■	▲	▲	■	■	■	●	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-	
			IP68	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	-	-		
Aurora (AUR)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	■	■	■	■	■	●	■	■	■	-	-	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Closet Rod (CLR)			▲	▲	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
			IP20	IP20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			IP65	IP65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deep (DEP)			●	●	■	■	■	■	●	●	■	-	■	■	■	●	■	-	-	-	●	■	●	■	-	●	■	■	-	-	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	✓		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Deep Wide (DPW)			●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	■	■	-	-	-	-	-	-				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	-	IP68	-	IP68	-	IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	-	-	-		

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models										Compatible Connectors			
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm	
Dome (DOM)																		-										-	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-
			IP68	IP68	-	-	-	-	-	IP68	IP68	IP68	-	IP68	IP68	-	-	-	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-
Flex (FLX)											-						-	-	-					-				-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Genesis (GEN)																	-											-	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	✓	✓	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Grazer (GZR)												-						-	-	-					-	-		-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Icon (ICN)																													✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-	
			IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models										Compatible Connectors		
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Icon 1 (IC1)											-						-	-	-					-				-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	-	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-
Icon 2 (IC2)			-	-	-	-	-	-	-	-	-			-	-	-	-		-	-		-		-				-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	IP20	-	-	IP20	-	IP20	IP20	IP20	-	✓	✓	✓		
			-	-	-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	IP65	-	-	IP65	-	IP65	IP65	IP65	-	✓	✓	-		
			-	-	-	-	-	-	-	-	-	-	IP68	IP68	-	-	-	-	-	-	-	IP68	-	IP68	-	-	IP68	-	-	-	-	
Square (SQR)												-					-	-	-					-	-		-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Thin (THN)												-						-	-	-					-				-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Wide (WID)																		-										-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	✓	✓	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	✓	✓	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
Icon Side Mount (ICS)																															✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●

UNIFORM = ■

LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																		Color Tapelight Models										Compatible Connectors			
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm		
Deep Flanged (DPF)												-						-	-	-					-				-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
Icon Flanged (ICF)																															✓			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
			IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	-	
Icon 1 Flanged (IC1F)											-						-	-	-					-				-	-	-	✓			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-		
			IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	-	IP68	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-		
Icon 2 Flanged (IC2F)			-	-	-	-	-	-	-	-	-			-	-	-	-		-	-		-		-				-	-	-	✓			
			-	-	-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	IP20	-	-	IP20	-	IP20	IP20	IP20	-	-	-	✓	✓			
			-	-	-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	IP65	-	-	IP65	-	IP65	IP65	IP65	-	-	-	✓	✓			
			-	-	-	-	-	-	-	-	-	-	IP68	IP68	-	-	-	-	-	-	-	IP68	-	IP68	-	-	-	IP68	-	-	-	-		
In Floor (IFL)			2 ROWS OF TAPELIGHT USED																															
												-						-	-	-					-				-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-		

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com







IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲

SEMI-UNIFORM = ●


UNIFORM = ■


LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE


Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models									Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm		
Seamless 0.5 (SML)			●	●	●	■	●	■	●	●	■	-	●	■	■	●	■	-	-	-	●	●	●	●	-	-	●	-	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-			
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-			
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-				
Seamless 1.0 (SM1)			▲	▲	●	■	●	■	●	●	■	■	●	■	■	●	■	■	-	■	▲	■	▲	●	▲	▲	■	●	●	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-
IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	-	-	-	-	IP68	IP68	IP68	IP68	-	-	-	-	-	-	-	-	-			
Seamless 1.5 (SM15)			-	-	■	-	■	-	-	-	■	-	■	■	-	-	-	-	-	-	-	■	-	■	-	-	-	-	-	-	-	-		
			-	-	IP20	-	IP20	-	-	-	IP20	-	IP20	IP20	-	-	-	-	-	-	-	IP20	-	IP20	-	-	-	-	-	-	-	✓	✓	✓
			-	-	IP65	-	IP65	-	-	-	IP65	-	IP65	IP65	-	-	-	-	-	-	-	IP65	-	IP65	-	-	-	-	-	-	-	✓	✓	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 ROWS OF TAPELIGHT USED																																		
Seamless 2.0 (SM2)			-	-	■	-	■	-	-	-	■	-	■	■	-	-	-	-	-	-	-	■	-	■	-	-	-	-	-	-	-	-		
			-	-	IP20	-	IP20	-	-	-	IP20	-	IP20	IP20	-	-	-	-	-	-	-	IP20	-	IP20	-	-	-	-	-	-	-	✓	✓	✓
			-	-	IP65	-	IP65	-	-	-	IP65	-	IP65	IP65	-	-	-	-	-	-	-	IP65	-	IP65	-	-	-	-	-	-	-	✓	✓	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
2 ROWS OF TAPELIGHT USED																																		
Seamless Border (SBD)			●	●	■	■	■	■	●	●	■	-	■	■	■	●	■	-	-	-	●	■	●	■	-	●	■	●	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Seamless Cove (SCV)			●	●	●	■	●	■	●	●	■	■	●	■	■	●	■	■	-	■	●	●	●	●	▲	●	■	■	-	-	-	-		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	✓	✓	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	✓	✓	-
IP68	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	-	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	-	-	-	-	-		

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS







IMAGING = ▲


SEMI-UNIFORM = ●


UNIFORM = ■


LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight


Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																	Color Tapelight Models										Compatible Connectors		
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Seamless Curve (SMC)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	■	-	-	-	▲	●	●	●	-	▲	■	▲	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seamless Edge (SME)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	■	-	-	-	▲	●	▲	●	-	▲	■	■	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seamless Square Edge (SQE)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Seamless Wallwasher (SWW)			▲	▲	●	■	●	■	●	●	■	■	■	■	■	■	■	-	■	▲	■	▲	■	▲	▲	■	■	▲	✓	✓	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-	
			-	IP68	IP68	-	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	IP68	IP68	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	IP68	-	-	-	-
Square Flanged (SQF)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	-	-	-	▲	■	▲	■	-	-	■	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	-	IP20	-	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Thin Flanged (THF)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	●	▲	■	-	-	-	▲	▲	▲	▲	-	▲	▲	▲	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	-	IP65	-	-	-	-	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS

IMAGING = ▲


SEMI-UNIFORM = ●


UNIFORM = ■


LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE