

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																				Color Tapelight Models								Compatible Connectors						
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LTP5.9W	LLI-LHE5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCTW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm		
Dome (DOM)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	●	■	■	-	√	√	√			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	√	√	√	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	√	√	-
			IP68	IP68	-	-	-	-	IP68	IP68	IP68	-	IP68	IP68	-	-	-	-	-	-	-	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-	-	-	-			
Elite (ELT)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	●	■	■	●	√	√	√				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	√	√	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	√	√
			IP68	IP68	-	-	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	IP68	-	-	-	-	-	-	IP68	IP68	IP68	-	IP68	IP68	IP68	-	IP68	-	-	-	-			
Flex (FLX)			▲	▲	▲	●	▲	▲	▲	▲	-	▲	▲	▲	▲	▲	▲	-	-	-	▲	▲	●	▲	-	●	-	▲	-	-	-	-	-	-			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Genesis (GEN)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	●	▲	■	-	√	√	√				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	√	√	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	√	√	-
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Grazer (GZR)			▲	▲	▲	●	▲	●	▲	▲	●	-	▲	●	●	●	-	-	-	▲	▲	▲	▲	-	▲	-	●	-	-	-	-	-	√				
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	√	-		
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	-	-	-	-	-	-	
			-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-			
Icon (ICN)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	√	√	√			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	√	√	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	√	√	-
			IP68	IP68	IP68	-	IP68	IP68	-	-	IP68	IP68	IP68	IP68	IP68	IP68	-	-	IP68	-	IP68	IP68	IP68	IP68	IP68	IP68	IP68	IP68	-	IP68	-	-	-	-			















Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@llialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																			Color Tapelight Models								Compatible Connectors					
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LTP5.9W	LLI-LHE5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCTW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm
Icon 1 (IC1)			▲	▲	■	■	■	■	■	■	-	■	■	■	■	■	■	■	-	-	-	▲	■	●	■	-	●	●	■	■	-	-	-	✓	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	-	-	-	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	-	-
Icon 2 (IC2)			-	-	-	-	-	-	-	-	-	■	■	-	-	-	-	-	-	■	-	-	■	■	■	■	■	-	-	-	✓				
			-	-	-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	-	-	IP20	-	-	IP20	-	-	IP20	IP20	IP20	-	-	-	✓		
			-	-	-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	-	-	IP65	-	-	IP65	-	-	IP65	IP65	IP65	-	-	-	-		
Square (SQR)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	▲	-	■	-	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	-	-	-	-
Thin (THN)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	●	▲	■	●	▲	-	-	-	▲	▲	▲	●	-	▲	-	▲	-	-	-	-	-
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	-	-	-	-
Wide (WID)			▲	▲	●	●	●	●	●	●	●	●	●	●	●	■	●	●	-	●	▲	●	▲	●	▲	▲	▲	●	●	▲	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	✓	✓	-	
Icon Side Mount (ICS)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	✓	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	
Icon Side Mount (ICS)			■	■	■	-	■	■	-	-	■	■	-	-	■	■	-	-	■	-	■	■	■	■	■	■	■	■	■	■	-	-	-		
			IP20	IP20	IP20	-	IP20	IP20	-	-	IP20	IP20	-	-	IP20	IP20	-	-	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	
			IP65	IP65	IP65	-	IP65	IP65	-	-	IP65	IP65	-	-	IP65	IP65	-	-	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@llighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																			Color Tapelight Models								Compatible Connectors									
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LTP5.9W	LLI-LHE5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCTW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm				
Deep Flanged (DPF)			●	●	■	■	●	■	●	●	■	-	■	■	■	●	■	■	■	-	-	-	●	■	●	■	-	●	●	■	●	-	-	-	■	■	■		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	-	-	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	-	-	-	-	-	
Elite Flanged (ELF)			●	●	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	-	■	●	■	●	■	●	●	●	■	■	●	-	-	-	■	■	■		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
Icon Flanged (ICF)			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	✓
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
Icon 1 Flanged (IC1F)			▲	▲	■	■	■	■	■	■	-	■	■	■	■	■	■	■	-	-	-	▲	■	●	■	-	●	●	■	■	-	-	-	■	■	■			
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	-	-	-	-	-	-	✓	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	-	-	-	-	-	-
Icon 2 Flanged (IC2F)			-	-	-	-	-	-	-	-	-	-	■	■	-	-	-	-	-	-	■	-	-	■	-	-	■	■	■	-	-	-	-	-	-	-	-		
			-	-	-	-	-	-	-	-	-	-	-	IP20	IP20	-	-	-	-	-	-	IP20	-	-	IP20	-	IP20	IP20	IP20	-	-	-	-	-	-	-	-	✓	
			-	-	-	-	-	-	-	-	-	-	-	IP65	IP65	-	-	-	-	-	-	IP65	-	-	IP65	-	IP65	IP65	IP65	-	-	-	-	-	-	-	-	-	✓
In Floor (IFL)			▲	▲	▲	■	▲	■	▲	▲	■	-	●	■	■	▲	■	■	■	-	-	-	▲	●	▲	▲	-	▲	▲	●	●	-	-	-	-	-	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	-	-	-	-	-	-	
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	-	-	-	-	-	-	-

2 ROWS OF TAPELIGHT USED

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE

Compatibility Chart: Extrusion + LED Tapelight

Part Numbers	Profile Dimensions	Standard Finishes	White Tapelight Models																			Color Tapelight Models								Compatible Connectors									
			LLI-L1.5W	LLI-L2.2W	LLI-L2.5W	LLI-LTP2.5W	LLI-LTW2.7W	LLI-LCOB3.0W	LLI-L3.5W	LLI-LWF3.5W	LLI-LHE3.5W	LLI-LHE4.0W	LLI-L4.4W	LLI-LHE4.4W	LLI-LTP5.0W	LLI-LTW5.3W	LLI-LRA5.4W	LLI-LTP5.9W	LLI-LHE5.9W	LLI-LHE6.6W	LLI-LHE7.9W	LLI-L8.8W	LLI-LC2.2W	LLI-LC4.4W	LLI-LCC4.4W	LLI-LTPCC4.4W	LLI-LCCW4.4W	LLI-LCTW4.4W	LLI-LCCW5.8W	LLI-LCC5.9W	LLI-LCCW7.6W	LLI-LCCW8.8W	Gripper, 10mm	Gripper, 12mm	Block Connector, 10mm				
Seamless Edge (SME)			▲	▲	●	■	●	■	●	●	■	-	●	■	■	■	■	■	■	-	-	-	▲	●	▲	●	-	▲	▲	■	■	-	-	-	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	-	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	-	-	-	-	-
Seamless Wallwasher (SWW)			▲	▲	●	■	●	■	●	●	■	■	■	■	■	■	■	■	■	-	■	▲	■	▲	■	▲	▲	▲	■	■	▲	-	-	-	✓	✓	✓		
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65
Square Flanged (SQF)			▲	▲	■	■	■	■	■	●	■	-	■	■	■	■	■	■	-	-	-	▲	■	▲	■	-	▲	-	■	-	-	-	-	-	-	✓	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	-	-	-	-	-	-	-	-
Thin Flanged (THF)			▲	▲	▲	●	▲	■	▲	▲	●	-	▲	●	●	▲	■	●	▲	-	-	-	▲	▲	▲	▲	-	▲	-	▲	-	-	-	-	-	-	-	-	
			IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	IP20	IP20	IP20	IP20	IP20	IP20	IP20	-	-	-	IP20	IP20	IP20	IP20	-	IP20	-	IP20	-	-	-	-	-	-	-	-
			IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	IP65	IP65	IP65	IP65	IP65	IP65	IP65	-	-	-	IP65	IP65	IP65	IP65	-	IP65	-	IP65	-	-	-	-	-	-	-	-

Contact customer service if Tapelight or Extrusion not listed above.
847.412.4880
cs@lialighting.com

IMAGING REFERENCE - Imaging varies depending on the Tapelight & Extrusion combination used.
NOTE: IMAGE LIGHT AT 100% USING A FROSTED LENS



LLI ARCHITECTURAL LIGHTING RESERVES THE RIGHT TO CHANGE SPECIFICATIONS WITHOUT NOTICE