



DALI-2 DIMMABLE ELECTRONIC LED DRIVER



- Constant voltage output
- 100-277V input voltage
- Temperature protection with auto reset after cooling
- Short circuit protection
- Overload protection with auto reset
- NFC programmable
- Digital dimming, 0-100% range, dims to off
- Compliant with IEEE Standard 1789-2015 for flicker free operation



TECHNICAL INFORMATION

NOTES: For optimal performance recommended loading is 80%.

	INPUT	OUTPUT	WATTAGE	OPERATING TEMP	WEIGHT	CLASS	RATING
LLI-PS-DALI2-030W-24V-KO	100-277V	24V	30W	Do not exceed 140° F	1.87 LBS	Class 2	IP66 Wet Location
LLI-PS-DALI2-060W-24V-KO	100-277V	24V	60W	Do not exceed 140° F	2.43 LBS	Class 2	IP66 Wet Location
LLI-PS-DALI2-096W-24V-KO	100-277V	24V	96W	Do not exceed 140° F	3.70 LBS	Class 2	IP66 Wet Location
LLI-PS-DALI2-200W-24V-KO	100-277V	24V	200W	Do not exceed 140° F	3.70 LBS	Class 1	IP66 Wet Location
LLI-PS-DALI2-300W-24V-KO	100-277V	24V	300W	Do not exceed 140° F	4.60 LBS	Class 1	IP66 Wet Location






PART NUMBER BUILDER / ORDERING GUIDE

Example part number: LLI-PS-DALI2-200W-24V-KO

SERIES	WATTAGE	LENS	KNOCKOUT
LLI-PS-DALI2	-	-	-
	030W	24V	KO
	060W		
	096W		
	200W		
	300W		

DALI-2 DIMMABLE ELECTRONIC LED DRIVER


DIMENSIONS

LLI-PS-DALI2-030W-KO  Technical drawing of the LLI-PS-DALI2-030W-KO LED driver. The front view shows a rectangular unit with a width of 7.13" and a height of 4.27". The side view shows a depth of 1.63".	LLI-PS-DALI2-060W-KO  Technical drawing of the LLI-PS-DALI2-060W-KO LED driver. The front view shows a rectangular unit with a width of 7.97" and a height of 4.50". The side view shows a depth of 1.68".
LLI-PS-DALI2-096W-KO  Technical drawing of the LLI-PS-DALI2-096W-KO LED driver. The front view shows a rectangular unit with a width of 9.49" and a height of 4.92". The side view shows a depth of 1.68".	LLI-PS-DALI2-200W-KO  Technical drawing of the LLI-PS-DALI2-200W-KO LED driver. The front view shows a rectangular unit with a width of 11.54" and a height of 4.92". The side view shows a depth of 1.63".
LLI-PS-DALI2-300W-KO  Technical drawing of the LLI-PS-DALI2-300W-KO LED driver. The front view shows a rectangular unit with a width of 12.44" and a height of 4.72". The side view shows a depth of 1.63".	


DALI-2 DIMMABLE ELECTRONIC LED DRIVER

WIRING DIAGRAM


with DALI power and DALI dimmer



with DALI system and DALI bus



with intelligent device, DALI master, and DALI dimmer



NOTES: If the DALI Master or DALI Dimmer includes DALI power, no DALI power is needed for the DALI bus.